DOCUMENT RESUME

SE 061 602 ED 423 112

Kenney, Michael, Ed. AUTHOR

Planet Chemistry. Hands-on Activities for Kids from All TITLE

Planets.

American Chemical Society, Washington, DC. INSTITUTION

1997-00-00 PUB DATE

10p.; Illustrated by Dan Sherbo. NOTE

AVAILABLE FROM American Chemical Society, 1155 16th Street NW, Washington,

DC 20036.

Guides - Classroom - Learner (051) PUB TYPE

MF01/PC01 Plus Postage. EDRS PRICE

Chemical Reactions; *Chemistry; Elementary Secondary DESCRIPTORS

Education; Environmental Education; *Hands on Science;

Interdisciplinary Approach; *Relevance (Education); *Science

Activities; *Science and Society; *Science Education

ABSTRACT

This publication issues a challenge to students to collect data in a nationwide analysis of water hardness. Background information on the chemistry of hard water is presented using a cartoon format, and each of the four activities contains an explanation about the chemistry illustrated in the activity. The effect of hard water on soap, the effect of calcium ions in water, the chemistry of a test strip, and the creation of a supersaturated solution are among the topics of the experiments. The publication also includes details about participation in the nationwide study and National Chemistry Week. (DDR)

****************** Reproductions supplied by EDRS are the best that can be made from the original document. ******************



Planet Chemistry

HANDS-ON ACTIVITIES FOR KIDS FROM ALL PLANETS

U.S. DEPARTMENT OF EDUCATION
Office of Educational Research and Improvement
EDUCATIONAL RESOURCES INFORMATION
CENTER (ERIC)

This document has been reproduced as received from the person or organization originating it.

- Minor changes have been made to improve reproduction quality.
- Points of view or opinions stated in this document do not necessarily represent official OERI position or policy.

PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL HAS BEEN GRANTED BY

K. Thompson

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)







Your suds are duds! Your bubbles have troubles! Your soap has no hope! What's going on?

Your problem is not difficult—

Cast of Characters:



Ms Screech is a strange and enthusiastic chemistry teacher. She always tries to get everyone involved and likes to keep close tabs on all her kids. She is very heloful and will make sure students clean up atter themselves. She loves to garden and drive her little blue sporty convertible



Dr. Ami is new and is a bit odd. He teaches science and art and his classes are never boring. He loves doing messy experiments and messier paintings. He is also a hit of a practical joker so don't turn your back

Avogadro very, very. large number.

Avogadro likes to count stuff — anything and everything. He has counted so many things, (more than a googol) that he is afraid of losing track. He recently started to count atoms and molecules and has named a new counting unit after himself — he calls it the "mole" and it is a very,

She thinks I'd an alligator

Nancy

Nancy recently moved from the neighborhood. She still stops by to play or do some chemistry once in a while and is always ready to lend a hand when needed. She loves dancing and



If you don't think duddy suds could happen to you, check out this experiment

THE FACTS What is Hard Water?

Water that has a hard time making a lather when it mixes with soap is called hard. Hard water contains a lot of calcium and/or magnesium that is picked up when the water flows over or through limestone or some other rock that has a lot of calcium or magnesium.

Soap contains long, chainlike molecules that have one end that interacts with water and another end that interacts with dirt and oil to remove them from your skin and clothes. When soap interacts with water, the end that interacts with dirt and oil spreads out, moving away from the water. That spreading is the bubbles that you see.

But if the water contains calcium or magnesium, the soap molecules interact with the calcium and the magnesium before they interact with the water, resulting in scum. Soap scum is soap molecules clumping together. As a result, the soap does not spread out like it does when it interacts with water. So, we can't make bubbles with hard water solutions.

Hard water is bad in your home because it combines with soap to make a scum or film that you can see as a bathtub ring or white crust on the showerhead. Soap scum also sticks to clothes making them look dirty.

Bayeriment & 1

SUPPLIES: EPSOM SALTS, MEASURING SPOONS, A CUP, BAR OF SOAP

- Mix 1 tablespoon of Epsom salts in 250 mL (1 cup) of warm tap water. Look on the label; it has magnesium sulfate one of the main culprits (along with calcium carbonate) in hard water.
- 2. Now, grab a bar of soap and wash your hands. Be sure to make a good lather with lots of bubbles. Then, rinse your hands—get all the soap off them.
- 3. Ask a partner to pour some of the Epsom salts and water solution into your hands — now try making a lather with the bar of soap like you did before — YUK! Just a little magnesium sulfate can make a big difference.
 - 4. Try mixing 1 teaspoon of Epsom salts with 1 cup of water, and see if you can make a lather.

5. What is the minimum amount of Epsom salts that you can mix with a cup of water and still not make a lather?

Note: Be sure to wash your hands with soap and tap water after finishing the experiment.





Mike is the new guy and is trying to remember everybody's name. He's a nice guy but kind of klutzy. He likes atl kinds of bugs and reading science fiction.



Shirley is always smiling. She knows everything and is always withing to lend a helping hand. She likes going to restaurants for dinner. She is especially helpful to the new kids—assisting them to get etited.



Jim lives in another neighborhood but still comes around lo play and help out. He's very creative and is always coming up with wild new ideas for things to de. He likes dogs, cars, and his pel boa constrictor, lowerum



If we really want to get our clothes or bodies clean with soap, we have to have water and bubbles. The more bubbles, the cleaner we get!

Let's do a simple experiment to see which makes more bubbles; hard or soft water. First, gather all the Supplies listed. Once

you have everything, jump down to Experiment #2.

SUPPLIES:

2 LARGE CONTAINERS FOR MIXING, 1 L (4 CUPS)

2 CLEAR SODA BOTTLES WITH CAPS, ABOUT 600 ML (20 OZ.)

SMALL PIECE OF CHALK --- ABOUT 2.5 CM (1 IN.)

WHITE VINEGAR

COMMERCIALLY AVAILABLE WATER SOFTENER*

LIQUID HAND SOAP

(BE SURE TO USE SOAP AND NOT DETERGENT!**)

MEASURING CUPS AND MEASURING SPOONS

*Check the laundry supply aisle at your grocery store.

**Detergent has chemicals called surfactants that make it possible to get bubbles in soft and hard water. Read the label and you will find phrases such as anionic or cationic surfactants. Be sure that you use soap for these activities.

Experiment #2

- 1. Using one of the large containers, dissolve the chalk in 30 mL (2 tablespoons) of vinegar. Let this sit for at least 10 minutes. Watch the solution. Record anything that you observe.
- 2. Add 750 mL (about 3 cups) of water to the dissolved chalk.

 This is your artificial hard water solution; it contains dissolved calcium from the chalk. Label this "Hard Water."
- 3. Using only one of the unused test strips from page 6, determine the hardness of your hard water solution (you will need the other strips for other experiments). Dip test strip into your water sample for 1 second. After waiting 15 seconds, compare the color on the strip with the colors on the reference chart on page 6. Record this value.
 Hard Water Solution
- 4. Put 250 mL (1 cup) of the artificial hard water solution into the other large container. (Be careful that any undissolved chalk is left in the hard water container.) Add 250 mL water and 4 tablespoons of water-softening agent. Stir well and wait for at least 10 minutes. (Don't worry if all of the water-softening agent does not dissolve.) This is your softened water solution. Label this "Soft Water."
- 5. Using a second test strip, determine the hardness of your softened water solution as you did in step 3. Record this value.

 Softened Water Solution
- Now, test how easily you can make suds using the two solutions. Carefully add 250 mL of the artificial hard water solution to one of your

Did the artificial hard water solution make bubbles?_____
Did the softened water solution make bubbles?_____
Which solution made more bubbles?_____
In which solution did the bubbles last longer?_____

6

empty soda bottles. Add 250 mL of softened water to the other soda bottle. Be sure to label the bottles. Add two drops of liquid hand soap to each bottle. Put caps on the bottles and shake them. Record your observations.

Zowie! That stuff bubbles more than

that gross candy kids ea

Nea+! It's kinda like that

eriment we

d in Dr. Amis


baking sodá

Thanks to:





Wow! These That's Ann?? and the other one is Jodi???? I'm again. Hopeless! Wike and doesn't seem



THE FACTS
What's Happening?

When you added vinegar to the chalk, you probably saw some bubbles. These bubbles formed because of a chemical reaction between the vinegar (acetic acid) and the chalk (calcium carbonate). This chemical reaction produces calcium ions (that's what makes water hard) and carbon dioxide gas (the bubbles you may have seen).

When you added the water-softening agent to the hard water solution, you added other chemicals that react very strongly with calcium ions and prevent the calcium from reacting with the soap. This means that the soap molecules can interact with the water to form bubbles.

To make suds, soap molecules must interact with other soap molecules. If a lot of soap molecules interact, you can make a lot of suds. The problem in a hard water solution is that soap molecules would rather interact with the calcium than with other soap molecules. So, hard water solutions don't make a lot of bubbles. By softening the water, you can make more bubbles. And, because soap suds interact better with dirt and oil, a water solution with a lot of bubbles does more cleaning.

Another place you can find a lot of calcium is in milk. Do you think there will be a lot of bubbles if you mix some milk with some hand soap and shake it? Try it and see.

Explore more fun and exciting hands-on science activities with the American

Chemical Society's

ERIC ragazine! For magazine and subscription

information, call 800-209-0423.

We've got more hands-on activities! For a free catalog contact the

prøgram at 202-872-4381, ør e-mail: kids@acs.ørg

This is It! The BIG Experiment! Oh goodie!

Gosh. That worm in my shirt sure feels to cool, I wonder if Dr. An let me keep it?

I wish these guys would get with the Program

Now you are ready!

You've learned a little about hard water, water softening, and how to use the test strips. Now we need you to collect a sample of natural water (NOT tap water) and measure the hardness concentration. Send us the information about where you collected the water

sample and the hardness concentration, and we will assemble all

the data and share it with other correspondents. This activity will enlist the talents of thousands of individuals working to achieve a common goalmapping water hardness across the United States. This type of experiment has never been done before and is an example of doing research

on a grand scale.

Experiment #5

- 1. With the help of an adult volunteer, go out and collect a sample of water from a lake, stream, pond, river, ocean, well, or any other natural source. You don't need much; 1 cup (250 mL) will be plenty. Do not use tap water!
- 2. Using one of the two remaining test strips on this page, determine the hardness of your water sample. All you have to do is dip an unused test strip into your water sample for 1 second. After waiting 15 seconds for the color to develop, compare your test strip with the color chart below. Match the colors, and you will know the hardness concentration of your water sample.
- 3. Using this information, fill out the form at the bottom of page 7. Submit the data to us via the World Wide Web at http://www.acs.org/ncw. (If you don't have Internet access, you can mail or fax the form to us. Our mailing address and fax number are on the form on page 7.)

We will use all of the data submitted to create a map that illustrates the hardness of natural water across the United States. You can view and download

the map at http://www.acs.org/ncw on the Internet.

If you don't have access to the Internet, send us a self-

addressed stamped business envelope, and we will send you a copy of the map that you can share with your parents, teacher, or keep for yourself.


THE FACTS

For best results, use by 8/98.

The Chemistry of the Test Strip

On each test strip there is a chemical that reacts with calcium and magnesium to produce a new compound that is orange. If only a small amount of calcium or magnesium is in the test sample, only a small amount of orange chemical is produced. When the amount of calcium and/or magnesium increases,


the orange chemical increases. The test strip indicates the amount of calcium and magnesium present in the solution by measuring the orange chemical produced.





Malional Whenlishy West ERIC

November 2-8, 1997










Rock formations called stalactites and stalagmites result when hard water drips from the ceiling of a cave. As the water evaporates, the calcium carbonate hardens. If the water drips slowly, a stalactite will form hanging from the roof of the cave and a stalagmite will form on the floor of the cave.

With the assistance of an adult volunteer, you can simulate the formation of stalactites and stalagmites by using Epsom salts.



SUPPLIES: EPSOM SALTS, A CUP, GLASSES, PAPER CLIPS, UNWAXED COTTON STRING, ALUMINUM FOIL

- Measure 2/3 cup of Epsom salts into 250 mL (1 cup) of hot tap water. Be careful not to burn yourself.
- 2. Divide the solution into two small glasses or jars. Put a large paper clip onto each end of a 30-cm (12-inch) piece of cotton string.
- 3. Soak the string for 5 minutes in one of the containers of Epsom salts solution.
- 4. After spreading foil on your work surface, hang the wet string between the two containers as illustrated.
- 5. After about 30 minutes, you should see a stalactite growing from the string and a stalagmite

Note: Be sure to wash your hands with soap and tap water after finishing the experiment. growing under the string.

Leave the set-up

overnight and look at

the results in the

morning.

Published by the American Chemical Society National Chemistry Week Office

© Copyright 1997 American Chemical Society. All rights reserved.

EDITOR: Michael Kenney
ART DIRECTOR: Amy Meyer Phifer
COPY EDITOR: Beth Mitchell
ILLUSTRATOR: Dan Sherbo

The assistance of the following individuals is greatly appreciated:

James Kessler, Jodi Greenblatt, Denise Creech, Shirley Ford, Annie Tinnesand,
Connie Lesch, Jerry Phifer, and Cyndi Anderson.



THE FACTS What's Happening?

The solution you made is supersaturated—there is more magnesium sulfate dissolved in the solution than should be possible at room temperature. How can that be?


Remember that we used hot water for this experiment. By using hot water instead of cold water, we were able to dissolve more magnesium sulfate. As the solution drips from the string, the water evaporates and the magnesium sulfate that remains solidifies and creates the stalactite and stalagmite. As the magnesium sulfate crystallizes, we see the results of the evaporation process.

You may be able to see this in your home on the showerhead. After the shower is turned off, hot water remains in and on the showerhead. As the drops cool, the chemicals crystallize leaving a white deposit. This is the same thing happening in the experiment above. Based on information contained in this booklet, how would you remove the deposits from the showerhead?

The activities described in this booklet are intended for school children under the direct supervision of adults. The American Chemical Society cannot be responsible for any accidents or injuries that may result from conducting the activities without proper supervision, from not specifically following directions, or from ignoring the cautions contained in the text.

All of the activities in this booklet have been reviewed for safety by Dr. Jack Breazeale, Safety Consultant, Mt. Pleasant, SC.

ERIC'isit the National Chemistry Week web site at:



(OVES)

acs, org



U.S. Department of Education

Office of Educational Research and Improvement (CERI)
National Library of Education (NLE)
Educational Resources Information Center (ERIC)



REPRODUCTION RELEASE

(Specific Document) DOCUMENT IDENTIFICATION:		
uthor(s): MICHAEL Kenn	ex, editor	
	Chemical Society	Publication Data:
nonthly abstract journal of the ERIC system, Re	timely and significant materials of interest to the educ sources in Education (RIE), are usually made availab IC Document Reproduction Service (EDRS). Cradit	
eproduction release is granted, one of the follow	ing notices is affixed to the document. eminate the identified document, please CHECK ONE o	f the following three options and sign at the botton
The semple sticker shows below will be athered to all Level 1 documents	The semple strice street taken will be uffect to all Lauri 2A documents	The sample wilder shown below will be although to all Level 25 documents:
PERMISSION TO REPRODUCE AND DISSEMBLATE THIS MATERIAL HAS BEEN GRANTED BY	PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL IN MICROFICHE, AND IN ELECTRONIC MEDIA FOR ERIC COLLECTION SUBSCRIBERS ONLY. HAS BEEN GRANTED BY	PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL IN MICROFICHE ONLY HAS BEEN GRANTED BY
Serrole	- Semple	TO THE EDUCATIONAL RESOURCES
TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)	TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)	INFORMATION CENTER (ERIC)
	ZA Emat ZA	Lavel 28
Lavel 1 †	1	
Ø		
Check home for Lovel 1 railsten, possibling reproduction and discontinuous in microliche or other CRIC architel media (n.g., electronic) and paper copy.	Chack have for Level 2A release, percelling represention and dissentiouslos is relegions and in electronic media for ERIC archivel collection ambacritairs only	Check bere for Lavet 25 Phases, possibling reproduction and dissembnifics in submittee only
Occurrence of perceivation to	success will be proceeded as indicated provided expendention quality p reproduce to granted, but no box is checked, documents will be proc	nouths. paged at Level 1.
as indicated above. Reproduction for	ources information Center (ERIC) nonexclusive permis from the ERIC microfiche or electronic media by per the copyright holder. Exception is made for non-profit n etors in response to discrete inquiries.	
Simple)	Printed National	
Sign Athleen	VAMPEN KATHE	en Thompson MANAGE UTTUE
please Organization American	Chemical Society 202-8	72-60 +8 202-892-77

WAShingTon, DC 20036

